Leamix30®

NEW!

The most complete and balanced support for sensitive skin

DRN

nextmune Italy

Everything you need in a single administration!

Leamix30®

Complementary food for dogs and cats. Complete and balanced combination of Omega 3, ZINC, HEMP OIL, VITAMIN E and VITAMIN A. Appetising oil suspension (with **HYDROLYSED ANIMAL PROTEIN**) that is easy to dose and administer.

The unique formula of Leamix30® exploits the synergy of its components:

- **Supports** the physiological integrity of the skin barrier
- **Aids** tissue repair
- **Counteracts** free radicals and helps modulate inflammation.

Active Components

- **Unique and complete:** with a single product it is possible to administer all the essential principles recommended by the latest studies in veterinary dermatology for healthy skin.
- **Synergy between omega 3 and Zinc:** omega 3 fatty acids promote the absorption of zinc. The high concentration of both components enhances the effect of Leamix30®.
- **Maximum bioavailability:** due to the effect of zinc chelated with amino acids
- **Maximum digestibility:** achieved through the use of differentiated sources of Omega 3 (fish oil and linseed oil).
- **High palatability:** due to the addition of hydrolysed animal proteins.
- **Shelf life and versatility of the product:** a single pack can last up to 5 months. Easy and practical administration thanks to the supplied syringe.

Active Components

- **Omega 3 (EPA and DHA):** the essential fatty acids maximise their function by accumulation and are administered over time. In the dog and cat EPA and DHA represent the active forms of the **Omega 3** fatty acids. When integrated correctly, Omega 3 **replaces arachidonic acid** (Omega 6 and precursor of pro-inflammatory metabolites) at the cell membrane level. **In the event of disruption, resulting in a rupture of the cell membrane, they are released into the extracellular environment, effectively modulating inflammation.**
- **Zinc:** in the form of **zinc chelated** with amino acids, which **guarantees maximum bioavailability**, cofactor in more than 200 enzyme complexes, it is essential for the correct support of the immune system function, **maintenance of skin health** and keratinisation.
- **Hemp oil:** dogs with atopic dermatitis show an increased receptivity to cannabinoids in the skin. The use of hemp oil, which is rich in phytosterols, phytocannabinoids and omega-3, **helps to combat itching** and immune-mediated disorders.
- **Vitamin E: natural antioxidant** to support the skin. Several studies show its **deficiency in dermatological problems**.
- **Vitamin A:** activated by zinc, **essential for keratinisation** and homeostasis of the skin.

	SKIN INFLAMMATION	LIPID BARRIER	SKIN REPAIR	ANTIOXIDANTS	ITCHING AND SCRATCHING
OMEGA 3	Ω	Ω			Ω
ZINC		Ω	Ω		
HEMP OIL	Ω			Ω	Ω
VITAMIN E				Ω	
VITAMIN A		Ω	Ω		

Daily Food Guide

Dog's weight	Daily quantity	How many weeks does a bottle last?
5 kg	1 ml	20
10 kg	2 ml	10
20 kg	4 ml	5
over 30 kg	6 ml	3

Cat's weight	Daily quantity	How many weeks does a bottle last?
5 kg (average cat)	1 ml	20



Once a day, mixed with food or directly in the mouth. **Leamix30®** is recommended to be taken **for at least 6 weeks** and, if possible, continuously. **Leamix30®** is available in 150 ml bottles.

Syringe

The perfect ally for healthy skin

HOW TO USE

Orally or mixed with food.
1 ml per 5 kg of weight once a day, either by mixing with food or administering directly orally.

ADMINISTRATION

2 ml per 10 kg

Weight	5 Kg	10 Kg	20 Kg	Over 30 Kg
Daily	1 ml	2 ml	4 ml	6 ml

It is recommended **to administer it for at least 6 weeks**.
Can **be administered for longer periods**.
Store in a cool, dry place.

- **To be administered orally**
- **Liquid solution**
- **Shake well before use**

Including syringe

COMPOSITION

	PER 100 ml
Omega 3	27.650 mg
EPA (eicosapentaenoic acid)	10.030 mg
DHA (eicosapentaenoic acid)	8.630 mg
ALA (alpha-linolenic acid)	7.040 mg
Salmon oil	51.545 mg
Hemp oil	1.356 mg
Vitamin E	2.932 mg
Zinc	824 mg
Vitamin A	82.280 IU

Composition: Fish oil, linseed oil, hemp seed oil (1.5%), hydrolysed chicken protein, vegetable oils (rapeseed oil), mono- and triglycerides of fatty acids, inactivated yeasts (brewer's yeast).
Additives per kg;
Nutritional additives:
Zinc (Zinc chelate of glycine hydrate) 8,086 mg
3a700 Vitamin E 28,753 mg
3a672 Vitamin A 806,667 I.U.
Analytical constituents:
Crude protein 5.44 %, Crude fibre 0.66 %, Crude fat 89.0 %, Crude ash 6.15 %, Omega 3 27.00%

RECOMMENDATION

SKIN IRRITATION
Omega 3, in which salmon oil, fish oil and linseed oil are rich, help reduce itching, skin irritation and prevent allergens from penetrating

ITCHING
Hemp oil helps reduce itching.

SKIN REGENERATION
Zinc and Vitamin A contribute to skin regeneration processes.

1. SAEVIK BK, et al (2004) **A randomized, control study to evaluate the steroid sparing effect of essential fatty acid supplementation in the treatment of canine atopic dermatitis.** Vet Dermatol. 15(3): 137-45
2. LOGAS D, et al (1994) **Double-blinded crossover study with Marine oil supplementation containing high-dose icosapentaenoic acid for the treatment of canine pruritic skin disease.** Vet Dermatol. 5(3): 99-104
3. GOFFIN K, et al (2017) **Effects of matrix on plasma levels of EPA and DHA in dogs.** J Nutr Sci. 6: e37
4. Lowe, John A., Julian Wiseman, and D. J. A. Cole. **(1994)"Absorption and retention of zinc when administered as an amino acid chelate in the dog."** The Journal of nutrition 124.supp
5. MARSH KA, et al (2008) **Effects of zinc and linoleic acid supplementation on the skin and coat quality of dogs receiving a complete and balanced diet.** Vet Dermatol. 11(4): 277-284
6. Pereira, A. M., Maia, M. R., Fonseca, A. J. M., & Cabrita, A. R. J. (2021). **Zinc in dog nutrition, health and disease: a review. Animals,** 11(4), 978.
7. Landa, L., SULCOVA, A., & Gbelec, P. (2016). **The use of cannabinoids in animals and therapeutic implications for veterinary medicine: a review.** Veterinární medicína, 61(3).
8. PLEVNIK KAPUN A, et al (2013) **Plasma and skin vitamin E concentrations in canine atopic dermatitis.** Vet Q. 2013;33(1):2-6
9. PLEVNIK KAPUN A, et al (2014) **Vitamin E supplementation in canine atopic dermatitis: improvement of clinical signs and effects on oxidative stress markers.** Vet Rec. 6; 175(22):560.
10. ALMELA RM, et al (2018) **Selected serum oxidative stress biomarkers in dogs with non-food-induced and food-induced atopic dermatitis.** Vet Dermatol. 29(3):229-e82
11. IHRKE PJ, et al (1983) **Vitamin A-responsive dermatitis in the dog.** J Am Vet Med Assoc. 1;182(7):687-90.
12. Coverdale JPC, et al (2018) **Crosstalk between zinc and free fatty acids in plasma. Biochim** Biophys Acta Mol Cell Biol Lipids. 2019 Apr;
13. Campora, L., Miragliotta, V., Ricci, E., Cristino, L., Di Marzo, V., Albanese, F., ... & Abramo, F. (2012). **Cannabinoid receptor type 1 and 2 expression in the skin of healthy dogs and dogs with atopic dermatitis.** American journal of veterinary research, 73(7), 988-995.

DRN
A DIVISION OF
nextmune Italy SRL
Via G.B. Benzoni, 50 - 26020 PALAZZO PIGNANO (CR) IT
Tel. +39 0373 982024 - Tel. +39 0373 938345
customercare@drnsrl.it

FIND OUT MORE Leamix30

DP0411/01